

Plant protection in oilseed rape 2021 by Corteva Agriscience™

Author(s): Растителна защита
Date: 06.03.2021 Issue: 3/2021



For another consecutive year, **Corteva Agriscience™** provides comprehensive solutions for agriculture, hybrids with high yield potential and crop protection products that give farmers peace of mind about their crops. Here are our solutions for clean fields in oilseed rape:

Galera™ Super is the broadest-spectrum post-emergence herbicide against broadleaf weeds in oilseed rape, as it controls even persistent broadleaf weeds.

It is applied from the second leaf to nine or more developed internodes, BBCH 12–39, both in spring and autumn, when weeds are present. Applied at a rate of 25 ml/da with a spray volume of 10–40 l/da in oilseed rape, **Galera™ Super** provides excellent control of cornflower, mayweed, creeping thistle, field bindweed, knotgrass, pigweed, common lambsquarters, black nightshade, chickweed, dead-nettle, wild poppy, cleavers, milk thistle, speedwell, violet, dead-nettle, wild poppy, shepherd's purse, volunteer sunflower, and others.

Belkar™ EC is a new herbicide for autumn post-emergence treatment of oilseed rape with a new mode of action – it helps control weeds that have already developed resistance to herbicides

based on ALS inhibitors and others. Applied at a rate of 50 ml/da from the rosette stage (first pair of true leaves) to the stage of the fourth pair of true leaves (BBCH 12–30), **Belkar™** controls a wide spectrum of weeds such as cleavers, speedwell, mayweed, cornflower, wild poppy, geranium, shepherd's purse, as well as difficult-to-control weeds such as chickweed, and also weeds resistant to ALS herbicides and cruciferous weeds (wild mustard).

Shadow®, offered on the market by **Corteva Agriscience™**, is a herbicide proven over the years, with consistent quality, flexibility of application, high efficacy and selectivity. It has an extremely broad spectrum of activity – it controls all annual and perennial grass weeds, volunteers from cereal crops, couch grass and johnsongrass, among others, in a large number of broadleaf crops such as sunflower, oilseed rape, potatoes, beans, sugar beet and many others.

For more information, visit us at Corteva.bg or contact your regional representative.