

New generation soil herbicide from Bayer in wheat

Author(s): Bayer

Date: 08.09.2022 Issue: 9/2022



Yield establishment is of exceptional importance during the autumn-winter period for the development of wheat. This depends on numerous factors, one of the most significant being keeping the wheat free from weeds, the Bayer team shares. This allows it to develop without competition from grass and broadleaf weeds and to tiller optimally already in the autumn.

Mateno® Forte is a soil-applied herbicide in wheat and is Bayer's new effective solution for weed control.

With Mateno® Forte, farmers obtain: a broad and comprehensive spectrum of control of grass and broadleaf weeds in wheat in the autumn; control of volunteer Clearfield® / IMI-tolerant oilseed rape, as well as grass

weeds resistant to certain post-emergence herbicides; a weed-free field, which enables the crop to establish its yield potential in good time. The product contains a strong combination of three active substances. *Aclonifen* has a new mode of action for the control of grass and broadleaf weeds. *Flufenacet* is effective against grass weeds emerging in the autumn. *Diflufenican* is effective against broadleaf weeds emerging in the autumn. Mateno® Forte has a flexible application timing: pre-emergence and early post-emergence.

Комбинацията от три ефективни механизма на действие осигурява пълен спектър на контролирани плевели



Винаги поне 2 механизма работят срещу плевелите.


Лисича опашка, Ветрушка, Едногодишна метлица	Райграс	Широколистни
Дифлуфеникан (F1)		
	Флуфенацет (K1)	
Аклонифен (Z)		





Момент на приложение

- Матено Форте контролира най-добре малки и новопоникващи плевели.
- Оптималния момент на приложение на Матено Форте по време на ранното развитие на житните плевели до първи лист.
- Матено Форте намалява конкуренцията на плевела спрямо културата като по този начин я освобождава да заложи пълния си добивен потенциал.



Момент на третиране
на културното
растение



Efficacy of Mateno® Forte



Volunteer oilseed rape

Application rate: 100 ml/da



Ryegrass

Application rate: 160 ml/da



Fescue

Left: Untreated. Right: Treated with Mateno Forte at a rate of 160 ml/da

For more information, visit the company's website www.cropscience.bayer.bg or contact the regional representatives <https://www.cropscience.bayer.bg/bg-BG/Consultation.aspx>